

> Telephone: 001-604-278-5851 Fax: 001-604-278-5871

Prep & Wipe Product code(s): Solvents

SDS Preparation Date (dd/mm/yyyy): 23/09/2013

Page 1 of 11

### SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

: Prep & Wipe **Product identifier** 

Product Code(s) : Solvents

Relevant identified uses of the substance or mixture and uses advised against

Cosmetic nail cleansing agent. Use pattern: Consumers.

Details of the supplier of the safety data sheet:

Haigh Industries Inc.

#5 - 8118 North Fraser Way Burnaby, British Columbia, Canada V5J 0E5

Email: hind@telus.net

Telephone : 001-604-278-5851

**Emergency Telephone Number** 

: 001-352-323-3500 (INFOTRAC - Contract # 103390)

### SECTION 2. HAZARDS IDENTIFICATION

### Classification of the substance or mixture

Clear liquid. Alcohol odour.

Most important hazards:

This mixture is classified as hazardous in accordance with Regulation (EC) No 1272/2008. Hazardous classification:

Flammable liquid - Category 2; H225 Eye damage/irritation - Category 2; H319 STOT - single exposure - Category 3; H336

EUH066 - Repeated exposure may cause skin dryness or cracking.

The preparation is classified as dangerous in accordance with Directive 1999/45/EC. Classification:

F - Highly flammable

R11 - Highly flammable.

Xi - Irritant

R36 - Irritating to eyes.

R66 - Repeated exposure may cause skin dryness or cracking.

R67 - Vapours may cause drowsiness and dizziness.

## Label elements

Signal word:

Danger!

Hazard statements:

H225 - Highly flammable liquid and vapour

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

Supplemental Hazard Statements:

EUH066 - Repeated exposure may cause skin dryness or cracking.



> Telephone: 001-604-278-5851 Fax: 001-604-278-5871

Prep & Wipe Product code(s): Solvents

SDS Preparation Date (dd/mm/yyyy): 23/09/2013

Page 2 of 11

#### SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Precautionary statements:

P102 - Keep out of reach of children.

P210 - Keep away from heat and open flames. - No Smoking.

P261 - Avoid breathing vapours.

P280 - Wear protective gloves and eye/face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P501 - Dispose of contents/container in accordance with local regulation.

### Hazard pictograms:





### Other hazards

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes. Mild respiratory irritant Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Environmental precautions:

Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

### PBT assessment:

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

Not applicable

## Mixtures

Chemical nature - Mixture of: Alcohol; Esters; Fragrances.

The following substances shall be indicated according to legislation:

Chemical name	CAS#	EC No.	Concentration	EU Classification	CLP Classification
Isopropyl alcohol	67-63-0	200-661-7	80.0 - 100.0	F - Highly flammable; R11 Xi - Irritant; R36 R67	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336
Ethyl acetate	141-78-6	205-500-4	7.0 - 13.0	F - Highly flammable; R11 Xi - Irritant; R36 R66 R67	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066

For the full text of the H and R phrases not mentioned in this Section or in Section 2, see Section 16.



> Telephone: 001-604-278-5851 Fax: 001-604-278-5871

Prep & Wipe Product code(s): Solvents

SDS Preparation Date (dd/mm/yyyy): 23/09/2013

Page 3 of 11

### SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### SECTION 4. FIRST-AID MEASURES

#### Description of first aid measures

Ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. When

symptoms persist or in all cases of doubt seek medical advice.

Inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTRE or doctor/physician if you feel unwell.

Skin contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. When symptoms persist or in all cases of doubt seek medical advice.

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists, get medical

advice/attention.

#### Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

May cause drowsiness and dizziness.

Repeated exposure may cause skin dryness or cracking.

Mild respiratory irritant

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

## Extinguishing media

Suitable extinguishing media

: Carbon dioxide (CO2); Dry chemical; Alcohol-resistant foam.

Unsuitable extinguishing media

: Water may cause spattering of hot material and may spread burning.

#### Special hazards arising from the substance or mixture

: Highly flammable liquid and vapour. May be ignited by open flame. Vapours are heavier than air and may spread along floors. The pressure in sealed containers can increase under the influence of heat. Burning produces obnoxious and toxic fumes. In the event of fire the following can be released: Carbon oxides; unburned alcohols; Other unidentified organic compounds.

### Advice for firefighters

Protective equipment for fire-fighters

: Wear self-contained breathing apparatus and protective suit. Fight fire with normal precautions from a reasonable distance.

Special fire-fighting procedures

: Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

: Wear suitable protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up.

#### **Environmental precautions**

Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

Prep & Wipe Product code(s): Solvents

SDS Preparation Date (dd/mm/yyyy): 23/09/2013

Page 4 of 11

## SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# Methods and material for containment and cleaning up

: Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Use only non-sparking tools. Soak up with inert absorbent material. Do not use combustible absorbents, such as sawdust. Pick up and transfer to properly labelled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities.

#### Reference to other sections

: Refer to protective measures listed in sections 7 and 8. Refer to Section 13 for disposal of contaminated material.

### SECTION 7. HANDLING AND STORAGE

#### Precautions for safe handling

: Wear protective gloves and eye/face protection. Use only in well-ventilated areas. Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Keep away from heat and open flames. - No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Wash thoroughly after handling.

### Conditions for safe storage, including any incompatibilities

: Store in cool/well-ventilated place. Store locked up. Inspect periodically for damage or leaks. No smoking. Protect from sunlight. Keep out of the reach of children.

Specific end use(s)

: Cosmetic nail cleansing agent.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Control Parameters**

<b>Chemical Name</b>	Exposure Limits	<u>Type</u>	Notes
Ethyl acetate			
	400 ppm (1400 mg/m³) (TWA)	France (OEL)	None.
	400 ppm (1500 mg/m³) (TWA)	Germany (OEL)	(exposure factor 2)
	400 ppm (1400 mg/m³) (TWA)	Greece (OEL)	None.
	200 mg/m³ (TWA) 600 mg/m³ (STEL)	Poland (OEL)	None.
	400 ppm (1460 mg/m³) (TWA)	Spain (OEL)	None.
	200 ppm (TWA) 400 ppm (STEL)	The United Kingdom (WELs)	None.
sopropyl alcohol			
	400 ppm (980 mg/m³) (STEL)	France (OEL)	None.
	200 ppm (500 mg/m³) (TWA)	Germany (OEL)	(exposure factor 2)
	400 ppm (980 mg/m³) (TWA) 500 ppm (1225 mg/m³) (STEL)	Greece (OEL)	None.
	900 mg/m³ (TWA) 1200 mg/m³ (STEL)	Poland (OEL)	Skin notation
	200 ppm (500 mg/m³) (TWA) 400 ppm (1000 mg/m³) (STEL)	Spain (OEL)	None.
	400 ppm (999 mg/m³) (TWA) 500 ppm (1250 mg/m³) (STEL)	The United Kingdom (WELs)	None.



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

Prep & Wipe Product code(s): Solvents

SDS Preparation Date (dd/mm/yyyy): 23/09/2013

Page 5 of 11

### SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **Exposure controls**

Ventilation and engineering measures

: Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Use explosion-proof equipment. In case of

insufficient ventilation wear suitable respiratory equipment.

**Respiratory protection**: In the case of vapour formation use a respirator with an approved filter. The filter class for

the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

**Skin protection**: Wear protective gloves. The suitability for a specific workplace should be discussed with the

producers of the protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it. Wear as

appropriate: Butyl rubber; Barrier; etc.

Wear sufficient clothing to prevent skin contact.

Eye / face protection : Wear eye/face protection. If splashes are likely to occur, wear: Tightly fitting safety goggles.

A full face shield may also be necessary. See also EN 166.

Other protective equipment : General hygiene considerations

Ensure that eyewash stations and safety showers are close to the workstation location.

Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash

contaminated clothing before re-use.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### <u>Information on basic physical and chemical properties</u>

Appearance : Clear liquid.

Odour : Alcohol odour.

Odour thresholdpH: No information available.No information available.

Flash point : - 4.4 to 12°C (based on ingredients)
Flashpoint (Method) : Tag closed cup (based on ingredients)

Lower flammable limit (% by vol.)

2.0% (based on ingredients)

Upper flammable limit (% by vol.)

: 12.0% (based on ingredients)

Flammability (solid, gas) : Not applicable.

Auto-ignition temperature : 399°C (based on ingredients)

Decomposition temperature : No information available.

Oxidizing properties : None known.

**Explosive properties** : May be sensitive to static discharge. Vapours in the flammable range may be ignited by a

static discharge of sufficient energy. Not expected to be sensitive to mechanical impact.

### Initial boiling point and boiling range

: 77.5 - 82.3°C

Melting/Freezing point : - 88.5°C (Freezing point)

Relative density : 0.795 @ 25°C

Solubility in water : completely soluble

Other solubility(ies) : Soluble in most organic solvents (e.g. ethanol, acetone, diethyl ether, chloroform).

**Vapour pressure** : 4.41 - 9.73 kPa @ 20°C



> Telephone: 001-604-278-5851 Fax: 001-604-278-5871

Prep & Wipe Product code(s): Solvents

SDS Preparation Date (dd/mm/yyyy): 23/09/2013

Page 6 of 11

### SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Vapour density : 2.07 (Air = 1.0)

Partition coefficient: n-octanol/water

: Log P(oct) = 0.05

**Viscosity** : No information available.

Evaporation rate (BuAe = 1) : 6.2

Other Information

Volatiles (% by weight) : No information available.

Volatile organic Compounds (VOC's)

: No information available.

Other physical/chemical comments

: No additional information.

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.

: Stable under normal conditions. **Chemical stability** 

Possibility of hazardous reactions

: Hazardous polymerization does not occur. In the presence of water, product may slowly

hydrolyze to ethyl alcohol and acetic acid.

Conditions to avoid : Direct sources of heat. Do not use in areas without adequate ventilation. Avoid contact with

incompatible materials. Avoid moisture.

: Strong oxidizing agents; Water; Reactive metals; Corrosives. Incompatible materials

Hazardous decomposition products

: Burning produces obnoxious and toxic fumes. In the event of fire the following can be released: Carbon oxides; unburned alcohols; Other unidentified organic compounds.

### SECTION 11. TOXICOLOGICAL INFORMATION

### Information on Toxicological effects:

Acute toxicity : According to the classification criteria of the European Union, this product is not considered

as being an acutely toxic chemical.

Skin corrosion/Irritation : According to the classification criteria of the European Union, the product is not considered

as being a skin irritant.

Serious eye damage/irritation : This substance is classified as hazardous according to Regulation (EC) No. 1272/2008.

Classification:

Eye damage/irritation - Category 2. Causes serious eye irritation.

Respiratory or skin sensitisation

Reproductive toxicity

: According to the classification criteria of the European Union, this product is not considered

as being an allergic respiratory sensitiser.

According to the classification criteria of the European Union, this product is not considered

as being an allergic skin sensitiser.

Germ cell mutagenicity : Contains no ingredient listed as a mutagen.

Carcinogenicity : Contains no ingredient listed as a carcinogen.

Contains no ingredient listed as toxic to reproduction. STOT-single exposure This substance is classified as hazardous according to Regulation (EC) No. 1272/2008.

Classification:

Specific target organ toxicity - single exposure - Category 3. May cause drowsiness and

dizziness.

: According to the classification criteria of the European Union, this product is not expected to STOT-repeated exposure

cause target organ toxicity through repeated exposures.

According to the classification criteria of the European Union, this product is not considered Aspiration hazard

as being an aspiration hazard to humans.



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

Prep & Wipe Product code(s): Solvents

SDS Preparation Date (dd/mm/yyyy): 23/09/2013

Page 7 of 11

# **SAFETY DATA SHEET**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Toxicological data

: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

	LC <sub>50</sub> (4hr) LD <sub>50</sub>		50	
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)	
Isopropyl alcohol	17 000 ppm (41.8 mg/L)	4720 mg/kg	12 890 mg/kg	
Ethyl acetate	8000 - 16 000 ppm (28.8 - 57.7 mg/L)	5620 mg/kg	> 18 000 mg/kg	

## Routes of exposure Effects of acute exposure

- : Eye contact; Skin contact; Inhalation; Ingestion.
- : Inhalation: Vapours may cause drowsiness and dizziness. Mild respiratory irritant

Skin contact: Direct skin contact may cause slight or mild, transient irritation. Effects of excessive exposures may include: stinging; Redness.

Eye contact: Causes serious eye irritation. May cause moderate to severe irritation. Causes redness, tearing and blurred vision.

Ingestion: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).

### **Potential Chronic Health Effects**

: Repeated exposure may cause skin dryness or cracking.

Other important hazards : None reported by the manufacturer.

## **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

: Should not be released into the environment. No data is available on the product itself.

See the following tables for individual ingredient ecotoxicity data.

## Ecotoxicity data:

la sur dia sata	2.21	Toxicity to Fish			
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor	
Isopropyl alcohol	67-63-0	9640 mg/L (Fathead minnow) (OECD)	No information available.	None.	
Ethyl acetate	141-78-6	230 mg/L (Fathead minnow) (OECD)	No information available.	None.	

<u>Ingredients</u>	CAS No	Toxicity to Daphnia			
		EC50 / 48h	NOEC / 21 day	M Factor	
Isopropyl alcohol	67-63-0	1400 mg/L (Daphnia magna) (OECD)	30 mg/L (OECD)	None.	
Ethyl acetate	141-78-6	717 mg/L (Daphnia magna) (IUCLID)	No information available.	None.	



> Telephone: 001-604-278-5851 Fax: 001-604-278-5871

Prep & Wipe Product code(s): Solvents

SDS Preparation Date (dd/mm/yyyy): 23/09/2013

Page 8 of 11

### SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

<u>Ingredients</u>	CAS No	Toxicity to Algae			
		EC50 / 96h or 72h NOEC / 96h or 72h		M Factor	
Isopropyl alcohol	67-63-0	> 1000 mg/L/72hr (Green algae) (IUCLID)	No information available.	None.	
Ethyl acetate	141-78-6	> 100 mg/L/72hr (Green algae) (OECD)	No information available.	None.	

### Persistence and degradability

: The product itself has not been tested.

The following ingredients are considered to be readily biodegradable: Isopropyl alcohol;

Ethyl acetate.

**Bioaccumulation potential** 

Mobility in soil

The product itself has not been tested.The product itself has not been tested.

Results of PBT and vPvB assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

Other Adverse Environmental effects

: None known.

Water contaminating class (Germany)

: 1 (self classified)

### SECTION 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods:**

Handling for Disposal

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

**Methods of Disposal** 

: Dispose of in accordance with the European Directives on waste and hazardous waste. Waste must be classified and labelled prior to recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

# SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
ADR/RID	UN1993	FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol; Ethyl acetate)	3	II	3
EU ADR/RID Classification Code	F1 - Flammab	e liquids having a flash-point of or below 60 °C		•	
EU ADR / RID Hazard Identification Number	33 - highly flar	nmable liquid (flash-point below 23°C)			
ADR/RID Additional information	May be shipped 30 kg gross mas	as LIMITED QUANTITY when transported in containers no less.	arger than 1.0 Lit	re, in packag	es not exceeding



> Telephone: 001-604-278-5851 Fax: 001-604-278-5871

Prep & Wipe Product code(s): Solvents

SDS Preparation Date (dd/mm/yyyy): 23/09/2013

Page 9 of 11

### SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

ICAO/IATA	UN1993	Flammable liquid, n.o.s. (Isopropyl alcohol; Ethyl acetate)	3	II	3
ICAO/IATA Additional information	Refer to the ap	propriate Packing Instruction, prior to shipping this material. Relaterial.	eview all State ar	nd Operator	Variations, prior to
IMDG	UN1993	FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol; Ethyl acetate)	3	II	3
IMDG Additional information	May be shippe 30 kg gross ma	d as LIMITED QUANTITY when transported in containers no la ass.	arger than 1.0 Liti	re, in packaç	ges not exceeding

Special precautions for user

: Appropriate advice on safety must accompany the package. Keep away from heat, sparks

and open flame. - No smoking.

**Environmental hazards** 

This product does not meet the criteria for an environmentally hazardous mixture, according

to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

# **SECTION 15. REGULATORY INFORMATION**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

- 1. Substances presenting a physical, health or environmental hazard within the meaning of Regulation (EC) No. 1272/2008.
  - Classification according to Regulation (EC) No. 1272/2008 on the classification of hazardous mixtures.
  - 3. This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
  - 4. In accordance with the legislation of the United Kingdom.
  - 5. German legislation on water endangering substances VwVwS (see Section 12)

Chemical safety assessment : A chemical safety assessment has not been carried out by the Manufacturer of this product.



> Telephone: 001-604-278-5851 Fax: 001-604-278-5871

Prep & Wipe Product code(s): Solvents

SDS Preparation Date (dd/mm/yyyy): 23/09/2013

roduct code(s): Solvents Page 10 of 11

### SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **SECTION 16. OTHER INFORMATION**

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road

CAS: Chemical Abstract Services

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures EC: European Community

EEC: European Economic Community

EINECS: European Inventory of Existing Commercial chemical Substances

EN: European Standard EU: European Union

HSDB: Hazardous Substances Data Bank IATA: International Air Transport Association

IBC: Intermediate Bulk Container

ICAO: International Civil Aviation Organisation IMDG: International Maritime Dangerous Goods

IUCLID: International Uniform Chemical Information Database

LC: Lethal Concentration

LD: Lethal Dose

OECD: Organisation for Economic Co-operation and Development

OEL: National occupational exposure limits

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

RTECS: Registry of Toxic Effects of Chemical Substances

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit TWA: Time Weighted Average WEL: Workplace Exposure Limit

**Information Source** 

: 1. Material Safety Data Sheet from manufacturer.

 Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2013 (Chempendium, RTECs, HSDB, INCHEM).

3. European Chemicals Bureau, Existing Chemicals Work Area, EINECS Information System, 2013.

4. European Chemicals Agency, Classification Legislation, 2013.

5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2013.

Preparation Date (dd/mm/yyyy)

23/09/2013

H & R-Phrases (Full text) : Not applicable.

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

This product is subject to the EEC Directive for Cosmetics, 76/768/EEC, and its National implementations in the European Union. This product may also contain the following

chemicals: Fragrance.



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

Prep & Wipe Product code(s): Solvents

SDS Preparation Date (dd/mm/yyyy): 23/09/2013

Page 11 of 11

### SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### Prepared for:

Haigh Industries Inc. #5 - 8118 North Fraser Way Burnaby, British Columbia, Canada, V5J 0E5

Telephone: 001-604-278-5851 http://www.haighindustries.com Direct all enquiries to Haigh Industries.

# Prepared by:

ICC The Compliance Center Inc.
http://www.thecompliancecenter.com





#### DISCLAIMER

This Safety Data Sheet was prepared by Haigh Industries Inc. using information provided by Parker Hannifin Corporation and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Haigh Industries Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Haigh Industries Inc.

END OF DOCUMENT